


# Wielol<sup>®</sup>

## Schmierstoffe Deutschland



HOCHLEISTUNGSOPTIMIERUNG

**+41°**  
-230°C



HITZEBESTÄNDIGKEIT





REIBUNGSREDUKTION

**300**

MEILEN/KILOMETER  
REICHWEITE

OEM Original Quality

CATALOG  
**2026**



**QW**

# PRODUCTS



**ENGINE OIL**



**DIESEL OIL**



**HYDRAULIC OIL**



**GEAR OIL**



**ATF**



**CVTF**



**STROKE OIL**



**TRANSMISSION OIL**



**BRAKE FLUID**



**QW**<sup>®</sup>  
Schmierstoffe Deutschland



# ENGINE OIL



## 5W40 Fully Synthetic Engine oil API SN PLUS

VIELOIL 5W40 Fully Synthetic Engine Oil is formulated with advanced synthetic technology to deliver superior engine protection, outstanding wear resistance, and smooth performance under extreme temperatures. Designed for modern petrol and diesel engines, it helps reduce engine deposits, improve fuel efficiency, and extend engine life while meeting API SP performance standards and OEM Original Quality requirements.



## 10W40 Synthetic Engine oil API SN

VIELOIL 10W40 Synthetic Engine Oil delivers strong engine protection, smooth performance, and excellent wear resistance. Helps reduce deposits, improve efficiency, and extend engine life under all driving conditions.



## 20W50 Semi Synthetic Engine oil API SM

VIELOIL High-performance Semi synthetic Engine Oil formulated to provide reliable engine protection, reduced wear, and smooth everyday driving performance. Helps keep the engine clean and extends engine life while meeting API SM standards with OEM Original Quality.

*Drive with Ultimate Confidence*



# DIESEL OIL



## 10W40 Multigrade API CI-4/SN

VIELOIL 10W40 Multigrade Engine Oil API CI-4/SN is formulated to provide reliable protection and smooth performance for both diesel and petrol engines. Its advanced additive technology helps reduce engine wear, control deposits, and maintain engine cleanliness under demanding operating conditions. Delivers excellent thermal stability, enhanced lubrication, and long-lasting protection while meeting OEM Original Quality standards.



## 15W40 Multigrade Diesel Oil API CI-4/SL

VIELOIL 15W40 Mineral Diesel Oil API CI-4/SL is formulated for heavy-duty diesel engines, delivering reliable protection, strong lubrication, and long engine life under demanding operating conditions. Its advanced mineral formulation helps reduce engine wear, control deposits, and maintain smooth performance in both high-temperature and high-load applications. OEM Original Quality ensures dependable performance for commercial and passenger diesel vehicles.



## 20W50 Mineral Diesel Oil API CH-4

VIELOIL 20W50 Mineral Diesel Oil API CH-4 is a high-performance mineral diesel engine oil designed to provide reliable protection in heavy-duty operating conditions. It helps reduce engine wear, control soot and deposits, and maintain engine cleanliness for extended service life. Its robust formulation ensures excellent lubrication, thermal stability, and dependable performance while meeting OEM Original Quality standards.



VIELOIL Oil  
Built for Diesel Strength.



# GEAR OIL



## 75W-90 Fully Synthetic Gear Oil API GL-4/GL-5

VIELOIL® 75W-90 is a fully synthetic, high-performance multigrade gear oil specifically engineered for modern manual transmissions, transfer cases, and transaxle vehicles with or without limited-slip differentials; it provides exceptional protection against wear and corrosion while ensuring smooth shifting and high fuel savings.



## 80W-90 Mineral Gear Oil API GL-4/GL-5

VIELOIL® 80W-90 is a high-performance, mineral-based multigrade gear oil specifically engineered for manual transmissions with or without limited-slip differentials; it provides exceptional protection against wear and corrosion while ensuring smooth shifting and high fuel savings.



## 85W-90 Mineral Gear Oil API GL-4/GL-5

VIELOIL® 85W-90 is a high-performance, mineral-based multigrade gear oil specifically engineered for transaxle vehicles with or without limited-slip differentials; it features superior thermal stability and low foaming properties while providing exceptional protection against wear and corrosion to ensure significant fuel efficiency.



## 85W-140 Fully Synthetic Gear Oil API GL-4/GL-5

VIELOIL® 85W-140 EP is a fully synthetic, high-performance multigrade gear oil specifically engineered for heavily stressed transaxle gearboxes and transfer cases, both with and without limited-slip differentials; it offers superior thermal stability and very low foaming while providing exceptional protection against wear and corrosion to ensure significant fuel savings.

# ATF



## ATF DEXRON III

AUTOMATIVE TRANSMISSION FLUID

VIELOIL ATF DEX III outperforms conventional ATFs and helps to provide outstanding resistance to oil breakdown and deposits. The inherently high viscosity index and stability of Synthetic ATF DEX- help to protect against thermal breakdown at high operating temperatures, while still providing outstanding performance at ambient temperatures as low as -54° C. Further, it helps to improve overall transmission durability and cleanliness.



## ATF DEXRON IV

AUTOMATIVE TRANSMISSION FLUID

VIELOIL ATF DEXRON IV is a high-quality automatic transmission fluid formulated to deliver reliable performance in vehicles requiring DEXRON IV specification. It ensures smooth and consistent gear shifting, excellent wear protection, and dependable operation under a wide range of driving conditions.



## ATF DEXRON VI

AUTOMATIVE TRANSMISSION FLUID

VIELOIL ATF DEXRON VI is a premium-quality automatic transmission fluid engineered to deliver superior performance in modern automatic transmissions. Formulated with advanced additives and high-quality base oils, it ensures smooth gear shifting, enhanced durability, and long-lasting protection under extreme driving conditions.



## ATF DEXRON V

AUTOMATIVE TRANSMISSION FLUID

VIELOIL ATF DEXRON V is a premium-quality automatic transmission fluid engineered to deliver superior performance in modern automatic transmissions. Formulated with advanced additives and high-quality base oils, it ensures smooth gear shifting, enhanced durability, and long-lasting protection under extreme driving conditions.

# ATF



## CVTF

CONTINUOUSLY VARIABLE TRANSMISSION FLUID

Engineered for modern Continuously Variable Transmissions (CVT), VIELOIL CVTF provides outstanding protection against wear, ensures smooth and precise shifting performance, and enhances transmission durability. Its advanced formulation offers excellent thermal stability, oxidation resistance, and superior friction control for reliable operation under all driving conditions.



## CVT NS II

CONTINUOUSLY VARIABLE TRANSMISSION FLUID

VIELOIL Specially formulated for Nissan NS-2 specification CVT transmissions, VIELOIL CVT NS II delivers smooth power transfer, excellent wear protection, and long-lasting transmission performance. Its advanced synthetic technology ensures optimum friction characteristics, superior thermal stability, and reliable operation under demanding driving conditions.




## CVT NS III

CONTINUOUSLY VARIABLE TRANSMISSION FLUID

VIELOIL CVT NS III is a premium-quality transmission fluid specially developed for Nissan NS-3 specification Continuously Variable Transmissions (CVT). Its advanced formulation provides exceptional friction control, smooth acceleration, superior wear protection, and excellent thermal stability, ensuring maximum transmission efficiency and extended service life.

*Precision Fluid  
for Every CVT Drive*



# HYDRAULIC OIL



## ISO 10 HYDRAULIC OIL

VIELOIL ISO 10 Hydraulic Oil is a premium mineral-based hydraulic fluid formulated for excellent wear protection, smooth system operation, and reliable performance. It provides outstanding oxidation stability, rust protection, and efficient power transmission for hydraulic equipment operating under light-duty conditions.



## ISO 32 HYDRAULIC OIL

VIELOIL ISO 32 Hydraulic Oil is a premium mineral-based hydraulic fluid formulated for excellent wear protection, smooth system operation, and reliable performance. It provides outstanding oxidation stability, rust protection, and efficient power transmission for hydraulic equipment operating under light-duty conditions.



## ISO 46 HYDRAULIC OIL

VIELOIL ISO 46 Hydraulic Oil is a premium mineral-based hydraulic fluid formulated for excellent wear protection, smooth system operation, and reliable performance. It provides outstanding oxidation stability, rust protection, and efficient power transmission for hydraulic equipment operating under light-duty conditions.



## ISO 68 HYDRAULIC OIL

VIELOIL ISO 68 Hydraulic Oil is a premium mineral-based hydraulic fluid formulated for excellent wear protection, smooth system operation, and reliable performance. It provides outstanding oxidation stability, rust protection, and efficient power transmission for hydraulic equipment operating under light-duty conditions.

# 2-STROKE OIL



## **2T** MOTORCYCLE 2-STROKE MOTOR OIL API TC JASO FD

VIELOIL 2T Motorcycle API TC JASO FD is a high-performance 2-stroke motorcycle engine oil formulated to provide excellent engine protection, cleaner combustion, and superior lubrication. Designed to meet API TC and JASO FD specifications, it helps reduce exhaust smoke, prevent carbon deposits, and ensure smooth engine operation under demanding riding conditions. OEM-quality formulation for reliable performance and extended engine life.



## **2T** OUTBOARD 2-STROKE ENGINE OIL API TC-W3

VIELOIL 2T Outboard API TC-W3 is a premium 2-stroke engine oil specially formulated for outboard marine engines. It provides excellent lubrication, reduces engine wear, minimizes smoke and deposits, and helps ensure smooth performance in both freshwater and saltwater conditions. Designed to meet API TC-W3 requirements and deliver reliable OEM-quality protection.



## **4T** 20W50 MOTORCYCLE MINERAL API SP/JASO MA2

VIELOIL High-quality mineral engine oil formulated to deliver dependable performance and protection for 4-stroke motorcycle engines. Engineered with advanced additive technology, it ensures smooth power delivery, excellent engine cleanliness, and long-lasting durability under varied riding conditions. Maintains optimal viscosity at high temperatures while providing reliable cold-start protection.



*Built for Every  
2-Stroke 4-Stroke  
Adventure.*



# STROKE OIL



## 4T 10W40 MOTORCYCLE 4-STROKE ENGINE OIL API SM

VIELOIL High-performance 10W-40 4T motorcycle engine oil with API SM specification, delivering superior wear protection, engine cleanliness, smooth clutch operation, and reliable performance for modern motorcycles.



## 4T 10W30 MOTORCYCLE 4-STROKE ENGINE OIL API SG/SH/SJ/CF

High-performance 10W-30 4-stroke motorcycle engine oil designed to provide excellent wear protection, engine cleanliness, smooth operation, and reliable performance for everyday and demanding riding conditions.



*Power for Every  
Journey*

# BRAKE FLUID



## DOT 3 BRAKE FLUID

VIELOIL Premium DOT 3 Brake Fluid delivers reliable braking performance with a high boiling point, excellent thermal stability, and superior corrosion protection. Ensures safe, responsive braking and OEM Original Quality.



## DOT 4 BRAKE FLUID

VIELOIL Premium DOT 4 Brake Fluid delivers reliable braking performance with a high boiling point, excellent thermal stability, and superior corrosion protection. Ensures safe, responsive braking and OEM Original Quality.



*Brake with Confidence.  
Drive with Control.*

# GREASE



## GREASE CALCIUM EP3

VIELOIL ISO 10 Hydraulic Oil is a premium mineral-based hydraulic fluid formulated for excellent wear protection, smooth system operation, and reliable performance. It provides outstanding oxidation stability, rust protection, and efficient power transmission for hydraulic equipment operating under light-duty conditions.



## GREASE LITHIUM EP2

VIELOIL Lithium EP2 Grease is a premium lithium-based multipurpose grease formulated with Extreme Pressure (EP) additives to provide outstanding lubrication and wear protection. It offers excellent resistance to water washout, oxidation, rust, and corrosion, ensuring reliable performance for bearings, chassis, and industrial equipment operating under moderate to heavy-duty conditions.



## GREASE LITHIUM EP3

VIELOIL Lithium EP3 Grease is a premium high-performance lithium-based grease formulated with Extreme Pressure (EP) additives to deliver exceptional lubrication under heavy loads. It provides outstanding protection against wear, rust, corrosion, oxidation, and water washout, ensuring extended service life for bearings and industrial equipment operating in demanding conditions.

*Keeping Every  
Bearing Moving  
Smoothly.*



# GREASE



## GREASE LITHIUM EP2

VIELOIL Lithium EP2 Grease is a premium lithium-based multipurpose grease formulated with Extreme Pressure (EP) additives to provide outstanding lubrication and wear protection. It offers excellent resistance to water washout, oxidation, rust, and corrosion, ensuring reliable performance for bearings, chassis, and industrial equipment operating under moderate to heavy-duty conditions.



## GREASE LITHIUM EP3

VIELOIL Lithium EP3 Grease is a premium high-performance lithium-based grease formulated with Extreme Pressure (EP) additives to deliver exceptional lubrication under heavy loads. It provides outstanding protection against wear, rust, corrosion, oxidation, and water washout, ensuring extended service life for bearings and industrial equipment operating in demanding conditions.



# BUILT FOR MAXIMUM EFFICIENCY



TUV approved ✓  
**TUV**  
THÜRINGEN

 [www.vieloil.com](http://www.vieloil.com)

 [info@vieloil.com](mailto:info@vieloil.com)

 +971 4 259 0811

 +971 58 650 1700



VielOil